


PRECAST CONCRETE BASES

BASE TYPE	POLE TYPE	APPROXIMATE MASS	VOLUME OF CONCRETE	A	B	C	D	E	F (ANCHOR BOLTS)
S2 F2	TYPE S, 6 AND 7 POLES	4500 kg	1.8 m^3	243	343	160	1240	2100	4-1"ø x 48" (1220) GALVANIZED GRADE 150 DYWIDAG PRE-ASSEMBLED IN A CAGE
L2	TYPE L POLES	5040 kg	2.0 m^3	276	390	140	1300	2300	4-1 1/2"ø x 54" (1370) GALVANIZED AISI/SAE 4140 PRE-ASSEMBLED IN A CAGE

NOTES

1. SEE STANDARD SPECIFICATIONS & SPECIAL PROVISIONS FOR ADDITIONAL INFORMATION.
2. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED.
3. SEE DRAWING SP635-1.1.15 FOR ADDITIONAL DETAILS.
4. SEE DRAWINGS SP635-1.4.1 TO 1.4.4 FOR BACKFILL REQUIREMENTS.

NOT TO SCALE

BRITISH COLUMBIA | Ministry of Transportation and Infrastructure

No.	Revision	Date
F		
E	COMBINED S2 AND F2 BASE	APR 20
D	GENERAL REVISIONS	APR 17
C	TYPE S2 BASE ADDED	OCT 03
B	DRAWING NUMBER CHANGED	AUG 95
A	GENERAL REVISIONS	AUG 94

TYPE F2, L2 AND S2 CONCRETE BASES (PRECAST)

Date Approved: **30/09/93 E.L. (Signature on File)** Chief Highway Engineer

SPECIFICATION DRAWING No. SP635-1.1.14

TRI KON Precast Concrete Products

Tri-Kon Precast Products Ltd.
601 Patterson Street West
Cranbrook BC V1C 6T3
250-426-8162
info@trikonprecast.com
trikonprecast.com


PRODUCT
Electrical
DRAWING
Type F2, L2 and S2 Concrete Bases, Precast

WEIGHT

DRAWING NO. **SP635-1.1.14**
DATE As per drawing
SHEET **19 of 39**
UNITS / SCALE As per drawing

Request A Quote

Dimensions and specifications as per drawing. Confirm handling weights before lifting.
trikonprecast.com



SEE DRAWING SP635–1.1.14 FOR NOTES AND ADDITIONAL DETAILS

NOT TO SCALE

BRITISH COLUMBIA Ministry of Transportation and Infrastructure

No.	Revision	Date
F	COMBINED S2 AND F2 BASE	APR 20
E	GENERAL REVISIONS	APR 17
D	TYPE S2 BASE ADDED	OCT 03
C	ELEVATION OF BASE TO FINISHED GRADE REVISED	AUG 96
B	ELEVATION OF BASE TO FINISHED GRADE REVISED	AUG 95
A	GENERAL REVISIONS	AUG 94

TYPE F2, L2 AND S2 CONCRETE BASES (PRECAST)

Date Approved: **30/09/93 E.L. (Signature on File)** Chief Highway Engineer


SPECIFICATION DRAWING No. **SP635–1.1.15**

TRI KON Precast Concrete Products


Tri-Kon Precast Products Ltd.
601 Patterson Street West
Cranbrook BC V1C 6T3
250-426-8162
info@trikonprecast.com
trikonprecast.com

PRODUCT **Electrical**
DRAWING Type F2, L2 and S2 Concrete Bases, Precast
WEIGHT
DRAWING NO. **SP635-1.1.15**
DATE As per drawing
SHEET **20 of 39**
UNITS / SCALE As per drawing
Request A Quote

Dimensions and specifications as per drawing. Confirm handling weights before lifting.
trikonprecast.com



TOP AND BOTTOM PLATES



ANCHOR BOLT CAGE

SEE DRAWINGS SP635–1.1.11, 1.1.14 AND 1.1.16 FOR NOTES AND ADDITIONAL DETAILS

NOT TO SCALE

Ministry of Transportation and Infrastructure

No.	Revision	Date
F		
E		
D	GENERAL REVISIONS	APR 17
C	TOP PLATE NOTE REVISED	OCT 03
B	HOLE SIZE IN PLATE REVISED	AUG 95
A	GENERAL REVISIONS	AUG 94

ANCHOR BOLT CAGE FOR TYPE L POLES

Date Approved: 30/09/93 E.L. (Signature on File) Chief Highway Engineer

SPECIFICATION DRAWING No. SP635–1.1.19

Tri-Kon Precast Products Ltd.
601 Patterson Street West
Cranbrook BC V1C 6T3
250-426-8162
info@trikonprecast.com
trikonprecast.com

PRODUCT
Electrical
DRAWING
Anchor Bolt Cage for Type L Poles

WEIGHT

DRAWING NO.
SP635-1.1.19
DATE
As per drawing
SHEET
21 of 39
UNITS / SCALE
As per drawing

Request A Quote

Dimensions and specifications as per drawing. Confirm handling weights before lifting.
trikonprecast.com