


CONCRETE SPREAD FOOTING

BASE TYPE	POLE TYPE	VOLUME OF CONCRETE	MASS OF REBAR	FORMWORK	APPROXIMATE MASS
H1	TYPE H POLES	10.9 m^3 *	760 kg *	17.0 m^2*	26700 kg*

(*) BASED ON SPREAD FOOTING WITH 1400 HIGH NECK

NOTES

1. SEE STANDARD SPECIFICATIONS & SPECIAL PROVISIONS FOR ADDITIONAL INFORMATION.
2. SEE PLANS FOR SIGN ARM ORIENTATION.
3. SEE DRAWINGS SP635-1.1.27, 1.1.28 & 1.4.5 FOR ADDITIONAL DETAILS.
4. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED.
5. NECK HEIGHT MAY VARY FROM 750 to 2500. SEE DRAWING SP635-1.4.5 FOR MORE INFORMATION.

BASE DESIGNED FOR SOILS WITH A MINIMUM BEARING PRESSURE OF 100KPa

NOT TO SCALE

Ministry of Transportation and Infrastructure

No.	Revision	Date
F		
E	TITLE UPDATED	APR 20
D	GENERAL REVISIONS	APR 17
C	NECK HEIGHT REVISED	AUG 96
B	NECK HEIGHT REVISED & REBAR ADDED	AUG 95
A	GENERAL REVISIONS	AUG 94

TYPE H1 CONCRETE SPREAD FOOTING (CAST IN PLACE)

Date Approved: 30/09/93 E.L. (Signature on File) — Chief Highway Engineer

SPECIFICATION DRAWING No. SP635-1.1.26

TRI KON Precast Concrete Products

Tri-Kon Precast Products Ltd.
601 Patterson Street West
Cranbrook BC V1C 6T3
250-426-8162
info@trikonprecast.com
trikonprecast.com


PRODUCT
Electrical
DRAWING
Type H1 Concrete Spread Footing

WEIGHT

DRAWING NO.
SP635-1.1.26
SHEET
28 of 39
DATE
As per drawing
UNITS / SCALE
As per drawing

Request A Quote

Dimensions and specifications as per drawing. Confirm handling weights before lifting.
trikonprecast.com



SIDE VIEW

SEE DRAWING SP635-1.1.26 FOR NOTES AND ADDITIONAL DETAILS

NOT TO SCALE

BRITISH COLUMBIA | Ministry of Transportation and Infrastructure

No.	Revision	Date
F	TITLE UPDATED	APR 20
E	GENERAL REVISIONS	APR 17
D	BOTTOM REBAR REVISED	FEB 12
C	REBAR IN NECK & BASE ELEVATION REVISED	AUG 96
B	NECK HEIGHT REVISED & REBAR ADDED	AUG 95
A	GENERAL REVISIONS	AUG 94

TYPE H1 CONCRETE SPREAD FOOTING (POURED IN PLACE)

Date Approved: 30/09/93 E.L. (Signature on File) Chief Highway Engineer

SPECIFICATION DRAWING No. SP635-1.1.27

Tri-Kon Precast Concrete Products

Tri-Kon Precast Products Ltd.
601 Patterson Street West
Cranbrook BC V1C 6T3
250-426-8162
info@trikonprecast.com
trikonprecast.com


PRODUCT
Electrical
DRAWING
Type H1 Concrete Spread Footing

WEIGHT

DRAWING NO.
SP635-1.1.27
SHEET
29 of 39
DATE
As per drawing
UNITS / SCALE
As per drawing

Request A Quote

Dimensions and specifications as per drawing. Confirm handling weights before lifting.
trikonprecast.com



No.	Revision	Date
F		
E		
D	TITLE UPDATED	APR 20
C	GENERAL REVISIONS	APR 17
B	REBAR ADDED	AUG 95
A	GENERAL REVISIONS	AUG 94

TYPE H1 CONCRETE SPREAD FOOTING (CAST IN PLACE)

Date Approved: 30/09/93 E.L. (Signature on File) Chief Highway Engineer

SPECIFICATION DRAWING No. SP635–1.1.28

Tri-Kon Precast Products Ltd.
601 Patterson Street West
Cranbrook BC V1C 6T3
250-426-8162
info@trikonprecast.com
trikonprecast.com

PRODUCT: Electrical
DRAWING: Type H1 Concrete Spread Footing
WEIGHT:
DRAWING NO.: SP635-1.1.28
DATE: As per drawing
SHEET: 30 of 39
UNITS / SCALE: As per drawing

Request A Quote

Dimensions and specifications as per drawing. Confirm handling weights before lifting.
trikonprecast.com